
Datoteke zaglavlja

Standardne datoteke zaglavlja

<assert.h>

<ctype.h>

<errno.h>

<float.h>

<limits.h>

<locale.h>

<math.h>

<setjmp.h>

<signal.h>

<stdarg.h>

<stddef.h>

<stdio.h>

<stdlib.h>

<string.h>

<time.h>

`<math.h>` - primjeri funkcija

- `double atan(double x);`
- `double atan2(double y, double x);`

```
int main( ){
    double x, y = -1.;

    printf("%g\n", atan(y/x));      /* 0.785398 */
    printf("%g\n", atan2(y, x));    /* -2.35619 */

    printf("%g\n", atan(1 < 5 < 3));

    return 0;
}
```

Funkcije `floor` i `ceil`

- `double floor(double x);`
- `double ceil(double x);`

Primjer:

```
printf("%g\n", floor(5.2));  
printf("%g\n", floor(-5.2));
```

```
printf("%g\n", ceil(5.2));  
printf("%g\n", ceil(-5.2));
```

Funkcija fmod

- `double fmod(double x, double y);`

Primjer:

```
printf("%g\n", fmod(5.2, 2.6));  
printf("%g\n", fmod(5.57, 2.51));  
printf("%g\n", fmod(5.57, -2.51));  
printf("%g\n", fmod(-5.57, 2.51));  
printf("%g\n", fmod(-5.57, -2.51));
```

Funkcija `frexp`

- `double frexp(double x, int *exp);`

Primjer:

```
double x = 8.0;
```

```
int exp;
```

```
printf("%f\n", frexp(x, &exp));
```

```
printf("%d\n", exp);
```

Funkcije `exp`, `log`, `log10` i `pow`

- `double exp(double x);`
- `double log(double x);`
- `double log10(double x);`
- `double pow(double x, double y);`

Primjer:

```
printf("%g\n", log(exp(22.0)));  
printf("%g\n", log10(pow(10.0, 22.0)));
```

<ctype.h> - primjeri funkcija

```
#include <ctype.h>
```

```
...
```

```
int c;
```

- `int isalpha (c); /* 0 ili ≠ 0 */`
 - `int isupper (c);`
 - `int ispunct (c);`
 - `int isspace (c);`
 - `int isdigit (c);`
 - `int isxdigit (c);`
 - `int iscntrl (c);`
-

Primjer:

- `int tolower (c);`
- `int toupper (c);`
- `int toascii (c);`
- ...

```
for (i = 0; polje[i] != 0; i++)  
    if (islower(polje[i]))  
        polje[i] = toupper(polje[i]);
```



<stdlib> - primjeri funkcija

- `void qsort(void *base, size_t n, size_t size, int (*comp)(const void *, const void *));`

Primjer:

```
int main(){
    char rjecnik[3][20] = {"po", "ut", "sr"};

    qsort(rjecnik, 3, 20, strcmp);
    puts(rjecnik[2]);
    return 0;
}
```

Upozorenje: argument is of type 'int (*) (const char *, const char *)'

Funkcija `bsearch`

- `void *bsearch(const void *key, const void *base, size_t n, size_t size, int (*comp)(const void *, const void *));`

Primjer:

```
printf("%s", bsearch("ut", rjecnik, 3, 20, usporedi));
```

```
int usporedi(const void *a, const void *b)
{
    return (strcmp((char *)a, (char *)b));
}
```



Definiranje kriterija sortiranja

Primjer:

```
int main()
{
    int i, polje[4] = {1, 3, -4, 3};

    qsort(polje, 4, sizeof(int), usporedi);

    for(i = 0; i < 4; i++)
        printf("%d\n", polje[i]);
    return 0;
}
```

Funkcija usporedi

```
int usporedi(const void *a, const void *b)
{
    if((*int*)a == (*int*)b) return(0);
    if((*int*)a > (*int*)b)
        return (1);
    else
        return (-1);
}
```

ili samo

```
return (*int*)a - (*int*)b;
```

Funkcije rand i srand

- `int rand(void);`
- `void srand(unsigned int seed);`

Primjer:

```
int seed;
```

```
scanf("%d", &seed);
```

```
srand(seed); /* inicijalizacija */
```

```
printf("%d\n", rand());
```

```
printf("%d\n", rand());
```

```
printf("%d\n", RAND_MAX);      /* 32767 */
```
